

CruzPro Gauges and Instruments		2013 Price List			Weight (oz)	2013 Suggested Retail Price US\$	
A-60	Programmable Digital Ammeter	YES	4.5	\$94.95	Accurate low cost Digital Ammeter, programmable shunt size. NMEA 0183 serial data output.		
AM-60	Digital Rudder Angle Indicator/w Alarms	YES	4.5	\$296.85	Learns sender resistance, easy to calibrate, individual limit alarms for Port/Stbd. NMEA 0183 serial data output or External Alarm output.		
ATB120A	450 ft bronze thru-hull ACTIVE NMEA 0183 transducer	YES	68	\$225.59	Active transducer, bronze thru-hull 450 foot depth version with 30' cable. Outputs standard \$SDBT & \$SDPT NMEA 0183 sentences. 12VDC @ .050 amps		
ATB120B	1000 foot bronze thru-hull mount ACTIVE depth NMEA 0183 transducer	YES	68	\$261.22	Active transducer, bronze thru-hull, 1000 foot depth version with 30' cable. Outputs standard \$SDBT & \$SDPT NMEA 0183 sentences. 12VDC @ .050 amps		
ATB120AT	450 foot bronze thru-hull mount ACTIVE depth/temperature NMEA 0183 transducer	YES	68	\$261.22	Active transducer, bronze thru-hull, 450 foot depth/temperature version with 30' cable. Outputs \$SDBT, \$SDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A		
ATB120BT	1000 foot bronze thru-hull mount ACTIVE depth/temperature transducer	YES	68	\$296.85	Active transducer, bronze thru-hull, 1000 foot depth/temperature version with 30' cable. Outputs \$SDBT, \$SDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A		
ATT120A	450 foot transom mount ACTIVE depth NMEA 0183 transducer	YES	15	\$154.33	Active transducer, transom mount, 450 foot depth version with 30' cable. Outputs standard \$SDBT & \$SDPT NMEA 0183 sentences. 12VDC @ .050 amps		
ATT120B	1000 foot transom mount ACTIVE depth NMEA 0183 transducer	YES	15	\$189.96	Active transducer, transom mount, 1000 foot depth version with 30' cable. Outputs standard \$SDBT & \$SDPT NMEA 0183 sentences. 12VDC @ .050 amps		
ATT120AT	450 foot transom mount ACTIVE depth/temperature NMEA 0183 transducer	YES	15	\$189.96	Active transducer, transom mount, 450 foot depth version with 30' cable. Outputs \$SDBT, \$SDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050 amps		
ATT120BT	1000 foot transom mount ACTIVE depth/temperature transducer	YES	15	\$225.59	Active transducer, transom mount, 1000 foot depth version with 30' cable. Outputs \$SDBT, \$SDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050 amps		
ATU120A	450 foot thru-hull mount ACTIVE depth NMEA 0183 transducer	YES	15	\$166.21	Active transducer, thru-hull 450 foot depth version with 30' cable. Outputs standard \$SDBT & \$SDPT NMEA 0183 sentences. 12VDC @ .050 amps		
ATU120B	1000 foot thru-hull mount ACTIVE depth NMEA 0183 transducer	YES	15	\$201.84	Active transducer, thru-hull, 1000 foot depth version with 30' cable. Outputs standard \$SDBT & \$SDPT NMEA 0183 sentences. 12VDC @ .050 amps		
ATU120AT	450 foot thru-hull mount ACTIVE depth/temperature NMEA 0183 transducer	YES	15	\$201.84	Active transducer, thru-hull, 450 foot depth/temperature version with 30' cable. Outputs \$SDBT, \$SDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A		
ATU120BT	1000 foot thru-hull mount ACTIVE depth/temperature transducer	YES	15	\$237.47	Active transducer, thru-hull, 1000 foot depth/temperature version with 30' cable. Outputs \$SDBT, \$SDPT & \$SDMTW NMEA 0183 sentences. 12VDC @ .050A		
BWA-20	Bilge Water Alarm	YES	6.5	\$106.83	Runs for 2 years on 9V alkaline battery. 85db Alarm. Electronic Float.		
CC-10/12	6 Amp 12VDC PWM Charge Regulator	YES	4.5	\$71.20	(Pulse Width Modulated) Low cost. Ensures fully charged battery at all times.		
CC-10/24	6 Amp 24VDC PWM Charge Regulator	YES	4.5	\$94.95	(Pulse Width Modulated) Low cost. Ensures fully charged battery at all times.		
CC-20	8 Amp 12VDC Automatic Charge Controller	YES	4	\$94.95	Sophisticated Charge Controller. Three LEDs. For wet or gel Bat. Adjustable output. 8 amps.		
CC-30	20 Amp 12VDC Automatic Charge Controller	YES	4	\$178.08	Sophisticated Charge Controller. Three LEDs. For wet or gel Bat. Adjustable output. 20 amps.		
CC-35	8 Amp, Three Stage PWM Charge Regulator with Automatic Low Voltage Load Disconnect	YES	6.5	\$154.33	(Pulse Width Modulated) Low cost. Ensures fully charged battery at all times. LED indicators. Automatic load disconnect if Battery voltage drops too low. Three Stage voltage regulator (Bulk, Absorption, Float)		
CH-55	Low Cost Chain Counter	YES	5.5	\$237.47	Low cost chain counter, tells you how much chain is out & windlass battery voltage.		
CH-60	Intelligent Windlass Controller	YES	5.5	\$474.99	Intelligent chain counter, tells you how much chain is out, displays windlass battery voltage, slows windlass, NMEA 0183 data output, etc.		
CH-110	Intelligent Windlass Controller	NO	13.5	\$546.24	Intelligent chain counter, tells you how much chain is out, slows windlass NMEA 0183 etc. Large LCD, buttons.		
CS-60	Quad Clocked Switch/w Four 4 Amp Outputs	YES	5.5	\$165.82	Four electronic switches that can be programmed to turn ON and OFF at multiple times of the day. Built-in digital clock.		
CT-60	Clock / Watch / Race Timer & Alarm	YES	4.5	\$118.70	Intelligent 12/24 Clock, Watch/Countdown timers with 8 built in alarms. NMEA 0183 Data output. Auto time-set when GPS time data available.		
D-60	Depth Sounder with Keel offset & Alarms	YES	4.5	\$154.33	Accurate Compact to 1000 Ft/ 300 meters with shallow and deep Alarms, anchor drag alarm, keel offset. Mounts in standard 52mm round hole.		
D-110	Depth Sounder with Keel offset & Alarms	YES	12.5	\$273.09	Compact to 1000 Ft/ 300 meters with shallow and deep Alarms, anchor drag alarm, keel offset. NMEA 0183 output. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.		
DI-60/8	8 Amp Light Dimmer & Motor Speed Controller	YES	4.5	\$106.83	Intelligent Dimmer / Controller with Instant On / Off. Night/Day light sensor optionally available.		
DI-60/16	16 Amp Light Dimmer & Motor Speed Controller	YES	5	\$130.58	Intelligent Dimmer / Controller with Instant On / Off. Night/Day light sensor optionally available.		
EFS-10/12	12V Automatic Bilge Pump Controller	YES	7.5	\$154.33	Bilge Pump Controller with Probe & built in Alarms 12VDC. Keeps track of how many times activated.		
EFS-10/24	24V Automatic Bilge Pump Controller	YES	8.5	\$189.96	Bilge Pump Controller with Probe & built in Alarms 24VDC. Keeps track of how many times activated.		
EFS-20/12	12V Automatic Dual Bilge Pump Controller	YES	8.5	\$189.96	Intelligent Pump Controller with Probe & Alarm 12 VDC. Dual pumps for redundancy. Keeps track of number of activations.		
EFS-20/24	24V Automatic Dual Bilge Pump Controller	YES	10.5	\$225.59	Intelligent Pump Controller with Probe & Alarm 24 VDC. Dual pumps for redundancy. Keeps track of number of activations.		
EH55	Low cost "No Frills" Engine Hours gauge	YES	4.5	\$94.95	Low cost engine hours gauge shows engine hours from 000.0 hours to 9999 hours. Works on both 12V and 24V systems. Waterproof front.		
EH60	Full featured Engine Hours and Elapsed Trip time gauge with maintenance alarm and NMEA 0183 output.	YES	4.5	\$118.70	Professional engine hours gauge shows engine hours, Elapsed Trip time and engine settable maintenance alarm. 5 level backlighting with external backlight ON/OFF control. NMEA 0183 data output. Engine hours can be preset for older existing engines. Works on both 12V and 24V systems. Waterproof front.		
ER-1	External Relay for CruzPro gauges with external alarm outputs.	YES	3	\$59.32	10 amp relay with both Normally Open and Normally Closed relay contacts. Power supply of +10 to +30 VDC. Can be driven with a 0 to +5V signal.		
ETM-20	Engine / Exhaust Temperature Monitor / Alarm with Probe	YES	7	\$118.70	Low Cost Protection for Engine and Exhaust. User settable alarm temperature.		

CruzPro Gauges and Instruments		2013 Price List		Weight (oz)	2013 Suggested Retail Price US\$	
F-60	Digital Fuel Gauge	YES	4.5	\$118.70	Low cost Digital Fuel Gauge. High/Low alarms, works with all standard American and European fuel senders. NMEA 0183 serial data output.	
FU-60	Digital Fuel Gauge / Consumption Calculator / with Alarm	YES	4.5	\$225.59	Clever Fuel Gauge Learns Tank. Displays Gallons / Litres or % plus consumption rate, Time-To-Go features, with Alarm. NMEA 0183 output. Very accurate.	
GD-10	LPG / Petrol Detector Alarm - Internal Sensor	YES	6.5	\$106.83	Base Model Gas Detector. 12VDC low current drain (0.12 amps). Self contained gas sensor. For LPG and gasoline / petrol.	
GD-20B	LPG / Gasoline / Petrol / Vapor Detector & solenoid control	YES	10.5	\$213.71	Multi-level sensitivity settings with built in Alarm. Gas solenoid control. Comes complete with one sensor. Can handle two sensors.	
GD-55	LPG Vapor (Vapour) Detector / Alarm	YES	9.5	\$142.46	Low Cost No Frills Protection	
HA-60	Digital Heel Angle Gauge with Alarms and internal angle sensor	NO	6.5	\$332.47	Digital heel angle monitor, -50 deg to +50 deg. Internal sensor - accurate to +/- 1 degree. Outputs NMEA 0183 \$YXXDR,A sentence or external alarm output.	
HY-60	Digital Hydraulic Pressure Gauge/w Alarms fro 4-20mA Senders	YES	4.5	\$237.47	Digital hydraulic pressure gauge for 4-20 mA senders up to 10,000 psi in 16 ranges. Outputs NMEA 0183 data or external alarm output.	
LA-20B	Multiple Input 105 db Alarm with 8A Light Flasher	YES	4.5	\$118.70	MultiAlarm with five inputs. Very Loud 105db. Flashes Spreader lights up to 8 amps.	
MaxDS110	Ten function Multi-function depth/speed instrument.	YES	18	\$398.47	Multi-function depth/speed instrument with 3 digital displays and two bar charts. Depth, boat speed, sea water temperature, trip and total logs, race timers and time-of-day data. 12/24VDC operation. Variety of transducers available. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.	
MaxRp110	User configurable NMEA 0183 data repeater with Windows PC programming software and USB/Serial converter	YES	18	\$331.59	User configurable NMEA 0183 data repeater instrument with 3 digital displays and two bar charts displays any NMEA 0183 data such as Depth, Speed, GPS bearing to Waypoint, etc (over 5800 sentences). 12/24VDC operation. Configuration software compatible with Win98, WinXP, Win2K and Vista. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons, user settable High and Low alarms.	
MaxVu110	User configurable multi-function instrument with Windows PC programming software and USB/Serial converter	YES	18	\$910.86	User configurable multi-function instrument with 3 digital displays and two bar charts displays 34 different functions such as Depth, Speed, Engine Monitoring, Electrical Monitoring, Fuel and Tankage, 4 channel NMEA repeater, etc. Works with both American and European engine, fuel and tankage senders. 12/24VDC operation. Configuration software compatible with Win98, WinXP, Win2K and Vista. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.	
NC-20/4	4 Channel NMEA to RS-232 Convertor / Combiner	YES	4.5	\$237.47	Connect multiple Gauges (or other NMEA instruments) to a Computer's serial input port.	
NC-20/8	8 Channel NMEA to RS-232 Convertor / Combiner	YES	5	\$320.60	Connect multiple Gauges (or other NMEA instruments) to a Computer's serial input port.	
OP-60	Digital Oil Pressure Gauge with Alarm	YES	4.5	\$130.58	Unique, Low and High Pressure Alarms. NMEA 0183 Data Output.Preprogrammed for popular senders from VDO, Teleflex, Faria, etc.	
PcFF-80	CruzPro PC Based High Resolution Color Fishfinder / water temperature for WIN 98, NT, 2000, SE, XP	YES	50	\$950.03	Multi Function dual frequency 50kHz/2000kHz Fishfinder / Sounder for Microsoft Windows98, XP, 2000. Included is 50/200kHz depth transducer /w temperature sensor, interface box and Windows Software CD. USB and RS232 comms.	
PY-60	Digital 1200deg C Pyrometer with Memory & Alarms with k type Thermocouple	YES	9.5	\$237.47	Low Cost Pyrometer -20 deg C to 1100 deg C. Complete with K-type thermocouple. NMEA 0183 data output.	
RH-60	RPM / Engine Hour / Elapsed Time with Alarm	YES	4.5	\$237.47	Accurate Engine RPM Monitor with built in setable Alarms, max RPM memory, engine hours, elapsed trip time. NMEA 0183 data output.	
RH-110	RPM / Engine Hour / Elapsed Time with Alarm	YES	12.5	\$296.85	Accurate Engine RPM Monitor with built in setable Alarms, max RPM memory, engine hours, elapsed trip time. NMEA 0183 data output. 110mm, large LCD, buttons.	
RP-60	Intelligent NMEA 0183 Remote Data Repeater	YES	5	\$237.47	Monitors up to Four separate data channels. 210 built-in NMEA sentences pre-programmed. Learns new sentences from IBM PC.	
RP-110	Intelligent NMEA 0183 Remote Data Repeater	YES	5	\$308.72	Monitors up to Four separate data channels. 210 built-in NMEA sentences pre-programmed. Learns new sentences from IBM PC. 110mm, large LCD, buttons.	
SA-20	Security System & Alarm with three sensors	YES	6.5	\$213.71	Cost Effective Security for your Boat. Includes 2 reed and one pressure sensing switches. Multiple security codes for electricians, brokers etc.	
SAR-20	Multi-Step Smart Alternator Regulator for P type alternators	YES	12	\$296.85	Low Cost Intelligent 4 Stage Smart Alternator Regulator. 12 and 24V operation. Lead acid wet and gel battery settings. Temperature probe included.	
SAR-80	Multi-Step Smart Alternator Regulator for P or N type alternators	NO	12	\$356.23	Premium 4 Stage Smart Alternator Regulator. 12/24V operation. Lead acid and gel battery settings. Temperature probe for battery provided, BOL-1 temperature probe for alternator optional. NMEA 0183 output and NMEA 0183 input capability (can use VAH30/VAH60, VAH35/VAH65, VAH110 as data source to control absorption stage charging).	
SB-2	Sender Buffer for two single station senders	YES	4	\$83.08	The SB2 allows a CruzPro gauge (FU30/FU60, TL25/TL55, OP30/OP60, etc.) and one existing analog gauge to share a single station 10-180 ohm or 240 -33 ohm sender. Makes adding a digital gauge to an existing analog set-up very easy. One SB2 will buffer two separate senders (e.g. an oil pressure and water temperature sender, etc.).	
SLT-60	Speed, Log, Elapsed Time, Race Timer & Water Temperature Gauge (no transducer)	YES	4.5	\$142.46	Low Cost Trip Computer, with Temperature, and Race elapsed time Timmers. NMEA 0183 data output. Variety of transducers available. 110 mm, Large LCD, buttons.	
SLT-110	Speed, Log, Elapsed Time, Race Timer & Water Temperature Gauge (no transducer)	YES	12.5	\$225.59	Speed /Log with Temperature, and Race/Elapsed time Timers. NMEA 0183 data output. Variety of transducers available. Mounts in standard 52mm round hole. 110mm, Large LCD, buttons.	
SOG1	GPS NMEA 0183 to Paddlewheel Signal Converter	YES	4	\$110.49	The SOG1 module converts a GPS NMEA 0183 sentence (\$GPRMC) to a analog paddlewheel signal that can be connected to a standard speed log. 0.01 knot resolution from 0.00 knots to 60.00 knots. No transducer/holes required in the boat!	
T-60	Water Temperature Gauge with Alarm	YES	4.5	\$130.58	Accurate Engine Water or Oil Temperature Gauge with Settable Alarms. Pre-programmed with sender curves for VDO, Faria, Teleflex, etc.	
T-65	Digital temperature gauge for three areas	YES	4.5	\$237.47	Displays temperature for 3 areas. -20 deg F (-29 deg C) to +140 deg F (60 deg C). Separate HI, LO alarms for each area. NMEA 0183 output 12/24V operation.	
TL-55	Digital Tank Level Gauge	YES	4.5	\$118.70	Low cost Tank Level Gauge. High/Low alarms, works with all standard American and European senders. NMEA 0183 serial data output.	
TL-60	Tank Level Gauge/Alarm for three Tanks with Alarms	YES	4.5	\$237.47	Clever very accurate, Tank level Gauge learns three tanks. Displays Gallons / Litres or %. Separate High and Low alarms. NMEA 0183 data output.	

CruzPro Gauges and Instruments		2013 Price List			Weight (oz)	2013 Suggested Retail Price US\$	
UWSD10	Ultrasonic 3D Wind Speed/Direction sensor/w air temperature.	YES	79.2	\$659.95	With 30M (98 feet of shielded cable/w connectors. Ultrasonic, no moving parts, RS422 and NMEA 0183 output of wind speed, direction, air temperature.		
V-55	Digital Voltmeter & Alarm	YES	4.5	\$118.70	Settable High and Low Voltage Alarms. NMEA 0183 serial data output.		
V-60	3 Bank Digital Voltmeter & Alarm	YES	4.5	\$166.21	Monitor up to Three Banks, Individual Settable Alarms, NMEA 0183 data output.		
VAF-60	AC / Volts / Amps / Frequency / kW Monitor / with Sensors	YES	13.5	\$308.72	Multi-Featured - AC Volts, Amps, Frequency, Kilowatts. High and low AC/Volt/Frequency alarms, can also disable generator. Complete with voltage and current transformers. NMEA 0183 data output.		
VAF-110	AC / Volts / Amps / Frequency / kW Monitor / with Sensors	YES	21.5	\$415.61	Multi-Featured - AC Volts, Amps, Frequency, Kilowatts. High and low AC/Volt/Frequency alarms, can also disable generator. Complete with voltage and current transformers. 110mm, large LCD, buttons. NMEA data output.		
VAH-60	Volts / Amps / Amp-Hour Monitor with 150A Shunt	YES	8	\$252.13	Accurate (like fuel gauge) Battery Monitor. Tracks current in and out of battery. Uses Peukert's law to display amp-hours or % charge. Low/High volts and low charge alarms. Calibrated 150 amp shunt provided. NMEA 0183 data output.		
VAH-65	3 BankVolts / Amps / Amp-Hour Monitor with 450A Shunt	YES	16	\$295.98	As VAH65 plus monitors up to Three Banks. 450 amp shunt. NMEA 0183 data output.		
VAH-110	3 BankVolts / Amps / Amp-Hour Monitor with 450A Shunt	YES	24	\$328.88	Like above but monitors volts for 3 batteries to 0.01 VDC, Amps to 0.1 amp and Amp-Hours for house bank. 450 amp shunt included. NMEA 0183 data output. 110mm, large LCD, buttons. User settable charger ON/OFF control. Peukert's law.		
WSD-110	Digital Wind Speed & Direction Display with analog wind angle display. Display Apparent Speed/Angle, True Speed/Angle, Average Speed/Angle, Max. Speed and Air Temperature. NMEA 0183 IN/OUT. Built-in data logger function.	YES	79.2	\$299.95	Displays wind speed, average wind speed, apparent wind speed, true wind speed and Velocity Made Good (VMG). Apparent wind speed/direction, true wind speed/direction, boat speed and VMG data is logged to a non-volatile memory providing up to 40 days of data. Serial logging data is output in comma delimited CSV (Excel) format. Requires UWSD10 or equivalent wind sensor.		
WTP-65	Precision Digital Sea Water Temperature Gauge.	YES	4.5	\$130.58	Accurate sea water temperature to 0.1deg F/C. NMEA 0183 data output. Works with any standard 10Kohm thermistor temperature transducer or select an optional CruzPro THT-1 thru-hull or TMT-1 transom mount transducers available (see below).		
WTP-110	Precision Digital Sea Water Temperature Gauge/w Trend indicator and 0.01 deg resolution.	YES	12.5	\$307.79	Accurate sea water temperature to 0.01deg F/C. NMEA 0183 data output and Hi/Lo temperature alarms, trend indicator and Min/Max temp. memory. Works with standard 10Kohm thermistor transducers (CruzPro THT-1 thru-hull or TMT-1 transom mount transducers below) or popular 30Kohm Dytex temperature senders.		
	Accessories						
BOL-1	Bolt-On temperature sensor for T35/T65 or WTP-35/WTP-65, spare battery sensor for SAR20 and MaxVu110.	YES	6	\$39.22	10k ohm thermister temperature sensor with 5M (30 feet) cable. Potted in zinc plated copper lug with M12 hole. Suitable for use with T35/T65, WTP35/WTP65 digital gauges and spare temperature sensor for SAR20.		
BWA-21	Replacement Water sensor for BWA-20, EFS-10 and EFS-20	YES	6	\$32.67	Spare stainless water sensor for BWA20, EFS10, EFS20		
CH-11	Replacement Magnet for CH-60	YES	1	\$2.55	Spare magnet for CH60, CH55 and CH110 Chain counter		
CH-31	Spare Magnet sensor for CH-60 (Specify Black or White)	YES	2	\$10.41	Spare sensor for CH60, CH55 and CH110 Chain Counter		
DC-110	Replacement Dust/Rain Cover for 110 series instruments	YES	2	\$11.72	Replacement Dust/Rain Cover for 110 series instruments		
DC-55/60/65	Replacement Dust/Rain Cover for 55/60/65 series SQUARE instruments	YES	1	\$7.79	Replacement Dust/Rain Cover for 55/60/65 series SQUARE instruments		
DI-31	External Light Sensor / w 5M Cable option for DI-60	YES	5	\$70.97	Light sensor for DI60 light dimmer		
GD-27	LPG / Petrol / Spare Sensor / w 5M Cable for GD-20B & GD25	YES	5	\$85.11	Spare LPG/Gasoline/Petrol sensor for GD20B & GD55 (blue color inside holder)		
GT-1	Gear Tooth Sensor/w 1.7M (5 feet) cable. Nickel plated brass sensor 89mm (3.5") long, 16mm (5/8") dia. (M16x 1.5 threads). For RH60 and RH110 tachometers.	YES	6	\$65.40	Gear Tooth Sensor/w 1.7M (5 feet) cable. Nickel plated brass sensor 89mm (3.5") long, 16mm (5/8") dia. (M16x 1.5 threads).		
SA-21	Spare Magnet Reed Switch/Magnet for SA-20	YES	2	\$10.41	Spare magnet reed switch for SA20 security system		
SA-22	Spare Pressure Sensitive Switch for SA-20	YES	3.5	\$39.22	Spare waterproof pressure sensor for SA20 security system		
SH-50	50 Amp Shunt	YES	4	\$45.83	50 amp shunt for A60, VAH60, VAH65, VAH110		
SH-150	150 Amp Shunt	YES	4	\$45.83	150 amp shunt for A60, VAH60, VAH65, VAH110		
SH-450	450 Amp Shunt	YES	12.5	\$58.93	450 amp shunt for A60, VAH65, VAH110		
SHF-220	220MM (12.75 INCH) Holding Tank Sender for TL-60 & TL-55	YES	12	\$78.07	Backflush nipple to enable cleaning without removal		
SHF-320	220MM (12.75 INCH) Holding Tank Sender for TL-60 & TL-55	YES	12	\$85.05	Backflush nipple to enable cleaning without removal		
TH-1	Spare/Replacement Thermocouple probe for PY60	YES	6	\$104.69	3mm diameter 150 mm long stainless steel insulated tip 1100 deg C thermocouple probe with 150mm long leads. M8 thread.		
TH-2	Spare/Replacement Thermocouple probe for PY60	YES	6	\$104.69	6.6mm (1/4 inch) diameter 65mm (2.6 inch) long stainless steel insulated tip 1100 deg C thermocouple probe with compression gland		
THD-1	Plastic Thru-Hull Depth Transducer with 7.6M Cable 120kHz for D-60	YES	16	\$91.59	Transducer Size 1.825" OD x 2 7/8" Long (46.6mm OD x 71mm long)		
THD-2	Plastic Thru-Hull Depth Transducer with 7.6M Cable 120kHz for D110 with phono plug	YES	16	\$98.14	Transducer Size 1.825" OD x 2 7/8" Long (46.6mm OD x 71mm long)		
THD-4	Bronze Thru-Hull 120kHz Depth Transducer with phono plug for D110	YES	68	\$261.82	Transducer Size 2" OD x 3 3/8" Long (50.8mm OD x 88mm Long)		
THD-5	Long Stem Bronze 120kHz Thru-Hull Depth Transducer with phono plug for D110	YES	77.5	\$301.10	Stem Size .825" x 5 1/16" Long (20.5mm OD x 128.5mm Long)		
THDT-1	Plastic Thru-Hull Depth/Temp Transducer with 7.6M cable 120kHzTransducer for DTF-30	NO	17.5	\$104.69	Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)		

CruzPro Gauges and Instruments		2013 Price List		Weight (oz)	2013 Suggested Retail Price US\$	
THDT-2	Plastic Thru-Hull Depth/Temp Transducer 50/200kHz for PC Fishfinder	YES	24	\$143.97	Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	
THDT-4	Bronze Thru-Hull Depth/Temp 50/200kHz for PC Fishfinder	YES	68	\$261.82	Transducer Size 2" OD x 3 3/8" Long (50.8mm OD x 88mm Long)	
THDT-5	Long Stem Bronze Thru-Hull Depth/Temp 50/200kHz for PC Fishfinder	YES	77.5	\$301.10	Stem Size .825" x 5 1/16" Long (20.5mm OD x 128.5mm Long)	
THST-1	Plastic Thru-Hull Speed/Temp Transducer with 30' cable for SLT-30/SLT-60	YES	17	\$117.78	Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	
THST-2	Plastic Thru-Hull Speed/Temp Transducer with 30' cable for SLT110, MaxDS110 and MaxVu110 with 5 pin Fuji connector	YES	18	\$130.88	Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	
THST-3	Bronze Retractable Thru-Hull Speed/Temp Transducer with 30' cable & plug with 5 pin Fuji connector for SLT110, MaxDS110 and MaxVu110	YES	18	\$261.82	Transducer Size 2" OD x 2 7/8" Long (50.8mm OD x 71mm Long)	
THT-1	Bronze Thru-Hull Water Temp Transducer with 30' cable for WTP-35/WTP-65, T35/T65 or MaxVu110.	YES	17	\$65.40	Transducer Size 1/2" OD x 3 1/2" Long (12.5mm OD X 88mm Long)	
TMD-1	Transom Depth Transducer with 25' cable 120kHz for D-30/D-60	YES	15	\$78.50		
TMD-2	Transom Depth Transducer with 25' cable 120kHz for D110 with phono plug	YES	15	\$85.05		
TMDT-1	Transom Depth/Temp Transducer with 25' cable 120kHz for DTF-30	NO	16	\$91.59		
TMDT-6	Plastic Transom Mount 50/200Khz Depth/Temperature Xducer with 7.6M cable for PC Fishfinder	YES	17	\$130.88		
TMST-1	Transom Speed/Temp Transducer with 25' cable for SLT-30/SLT-60	YES	24	\$91.59		
TMST-2	Transom Speed/Temp Transducer with 25' cable for SLT110, MaxDS110 and MaxVu110 with 5 pin Fuji connector	YES	25	\$104.69		
TMT-1	Plastic Transom water Temp with 30' cable for WTP-35/WTP-65 or T35/T65. Or MaxVu110	YES	10	\$52.31		
VTCT-1	Spare Volts / Current Transformer Assy. For VAF-30/VAF-60	YES	10	\$78.50		